

# Product data sheet BIKE WASH STATION



## TECHNICAL DATA:

Dimensions – width (bottom x top): 0,32m x 1,00m  
Dimensions – height: 1,58m


Device must be bolted to the foundation.

Station is adopted to install in public places like: cycle paths, skate parks, shopping center's parking, business centres, bike parks, etc.

TIG welded, thick-walled tubing and water cut steel.

It's recommended to bolt the station to earlier prepared concrete surface for stability and security. Wash station requires connecting to a water supply through a pipe and drainage.

### Projection and device view



## PRODUCT CHARACTERISTICS :

- Solid, all-year construction (it is not recommended to be used in temperature below 0°C)
- Pipe-shaped steel construction in which there are hidden specialist bike cleaning brushes and trigger jet wash
- The station allows for simple and safe bike wash
- Double arms (on top of the station) to hang and wash bicycle
- Available in a range of colours from RAL pallet
- Large branding surface
- Security cap “anti-theft” which is provided to every station
- QR code takes smart phone users to web site

## EQUIPMENT:

- trigger operated jet wash
- set of six cleaning brushes for: frame, wheels, chain, drive

## MATERIALS:

Main body:	tube thickness 3,2mm
Foot:	metal plate thickness 10mm
Finishes:	powder coat finish assures a high level of adhesion and durability
Hangers:	pipe thickness 33,7mm, rubber grips